



1206 Coolant Hose



DESCRIPTION

Customer specified Black Hose, made specially with a cover for use in oil/greasy environments around moulding machines. The Liner ensures cooling of the moulding machine. The hose is outside smooth till/incl. 25mm and wrapped from 32mm and up- Length from 32mm is 40mtr. The indicated bend radius is an estimate, calculated on values for hoses without steel helix wire.

For further information please contact Codan.

ADDITIONAL INFORMATION

Type no.	1206
Application	Anti-freeze, Coolant hose, Glycol
Standard length	50 metres
Working temp.	-30°C to 120°C
Inside compound	EPDM
Inside colour	Black
Reinforcement	PET
Outside compound	NBR/PVC
Outside colour	Black
Standards	–
Std. branding	–

Inside dia. (mm)	Outside dia. (mm)	Working Pressure BAR	Burst Pressure BAR	Bend Radius (mm)	Weight (g/m)	Product code
12,5	21,0	20	60	190	300	1206013000
19,0	28,0	20	60	220	470	1206019000
25,0	36,0	20	60	310	660	1206025000
32,0	43,0	12	36	390	920	1206032000
38,0	51,0	12	36	440	1031	1206038000
50,0	65,0	10	30	500	1960	1206050000

This hose specification sheet has been prepared with great care in order to provide you with all the information you need. The written advice must be obtained from Codan Rubber before using any hose with untested media or before using in applications not covered in the product data sheet. Codan Rubber recommends regular maintenance, care, and inspection of hoses before use. Hoses should be replaced if any physical damage is seen, especially to the cover of the hose or in the area around the couplings. All products must be stored in accordance with ISO 2230:2002 (Storage of vulcanized Rubber Products).

The individual conditions of an application will affect the lifetime of each product. Therefore please ensure that resistance to chemicals and cleaning procedures in our written product information is complied with. Codan Rubber's warranty is void in the event of misuse such as excessive bending, crushing, stretching, use with incorrect media or use in environments outside the hose specification. Please contact Codan Rubber for individual product manufacturing tolerances.