




3301 Air - Water Hose



DESCRIPTION

Black universal hose. Suitable for cold and hot water, compressed air and chemicals (acids excepted). Resistant to acetates and ketones. In sizes larger than 32.0 mm diameter, wrapped hose is supplied in 40 m lengths (1215), working pressure and bursting pressure are reduced to 15 bar and 45 bar respectively at working temperatures of -30 to +80°C. SBR/SBR.

Please contact Codan for further information.

ADDITIONAL INFORMATION

Type no.	3301
Application	Air – water hose
Standard length	50 metres
Working temp.	-40°C to 100°C
Inside compound	EPDM
Inside colour	Black
Reinforcement	Polyester
Outside compound	EPDM
Outside colour	Black
Standards	ISO 1403: 2019 type 2
Std. branding	–

Inside dia. (mm)	Outside dia. (mm)	Working Pressure BAR	Burst Pressure BAR	Bend Radius (mm)	Weight (g/m)	Product code
6,3	14,3	25	80	45	174	3301006000
7,9	15,9	25	80	50	202	3301008000
9,5	17,5	25	80	60	230	3301010000
12,7	21,5	25	80	65	320	3301013000
15,9	24,7	25	80	75	386	3301016000
19,1	29,5	25	80	90	546	3301019000

This hose specification sheet has been prepared with great care in order to provide you with all the information you need. The written advice must be obtained from Codan Rubber before using any hose with untested media or before using in applications not covered in the product data sheet. Codan Rubber recommends regular maintenance, care, and inspection of hoses before use. Hoses should be replaced if any physical damage is seen, especially to the cover of the hose or in the area around the couplings. All products must be stored in accordance with ISO 2230:2002 (Storage of vulcanized Rubber Products).

The individual conditions of an application will affect the lifetime of each product. Therefore please ensure that resistance to chemicals and cleaning procedures in our written product information is complied with. Codan Rubber's warranty is void in the event of misuse such as excessive bending, crushing, stretching, use with incorrect media or use in environments outside the hose specification. Please contact Codan Rubber for individual product manufacturing tolerances.